

TOWN CLERK'S STAMP

TOWN CLERK, ROCKLAND
FEB 21 '25 PM3:59

MEETING NOTICE POSTING
&
AGENDA

TOWN OF ROCKLAND



Pursuant to MGL Chapter 30A, §18-25, all Meeting Notices must be filed, and time stamped in the Town Clerk's Office and posted at least **48 hours prior to the meeting** (excluding Saturdays, Sundays and Holidays). Please be mindful of the Town Clerk's business hours of operation and make the necessary arrangements to ensure this Notice is received and stamped in by the Town Clerk's Office and posted by at least **30 minutes** prior to the close of business on the day of filing.

Board or Committee	Town of Rockland Board of Sewer Commissioners
Date & Time of Meeting	Thursday, February 27, 2025 - 5:30 PM
Meeting Location: or Remote Information:	Rockland Wastewater Treatment Facility - In Person
Requested By:	Rockland Board of Sewer Commissioners
# OF PAGES (including cover sheet) <u>1</u> REVISED ☒ Yes ☐ No	

1. Call to Order
2. Approve Minutes - January 28, 2025
3. Regulatory Matters - Chris Kenney / Robert Galvin
 - EPA Administrative Order
 - Local Sewer Moratorium
4. Wright-Pierce - Kevin Olson / Adam Higgins
5. Administrative Update
 - Approve Drainlayer License Renewal(s)
 - Well Water Customers
 - Abatement(s)
 - Miscellaneous

6. Superintendent Update – David Taylor

- FY 2026 Capital Requests
- Budget
- RFQ/OPM
- Miscellaneous
 - Wastewater Treatment Plant
 - Collections

7. Veolia Update

8. Future / Upcoming Meetings

9. Adjourn

The listings of matters are those reasonably anticipated by the Chair which may be discussed at the meeting. Not all items may, in fact, be discussed and other items not listed may also be brought up for discussion to the extent permitted by law.

Public comment may be allowed at this meeting but will be restricted to the subject matter of this agenda and related statements.

Comments and opinions expressed by individual members do not necessarily reflect the views of the Board of Commissioners and are the opinions and comments of only the individual members.