Shinglemill LLC ("Applicant") hereby requests the following waivers and, as specified below, will be subject to the specific condition that any and all waivers are being granted only to the extent necessary to allow for the construction of the project according to the plans presented to the approved by the Rockland Zoning Board of Appeals ("Board"). Final plans to be submitted by the Applicant shall conform to the Board's decision and these specific waivers

SHINGLEMILL LIST OF REQUESTED EXCEPTIONS, WAIVERS, AND PERMITS

	Local Regulation	Waiver Requested
1.	Chapter 407 Wetlands	The Bylaw requires a 25 foot vegetated no disturbance zone. The
	Protection By-Law, § 407-	project proposes work within the 25 foot zone primarily along the
	5 Permit and Conditions C.	site access road which is immediately adjacent to wetlands.
2.	Chapter 415 Zoning By-	The proposed project use is residential apartment buildings which
	law, § 415-19 H-1	is not included in permitted principal uses for the Industrial Park-
	Industrial Park-Hotel	Hotel District.
	District A. Permitted	
	principal uses	
3.	Chapter 415 Zoning By-	The proposed project use is residential apartment buildings which
	law, § 415-19 H-1	is not included in uses requiring special permits for the Industrial
	Industrial Park-Hotel	Park-Hotel District.
	District C. Uses requiring	
4	special permit Chapter 415 Zoning By-	The managed enoutment by ildings will be 5 stories tell and
4.	law, § 415-22	The proposed apartment buildings will be 5 stories tall and approximately 69 feet about finished grade. This is 2 stories and
	Table:	33 feet taller than the maximum building height for this district.
	Maximum Height	(3 stories to 5 stories = 2 stories greater)
	(Stories/Feet)	(36.0' to 69.0' = 33.0' greater)
5.	Chapter 415 Zoning By-	All proposed non-accessible designated parking spaces are 9'x18'
	law, § 415-22 Building and	spaces. Parking spaces as required by this bylaw shall be a
	lot Regulations A.	minimum of 10 feet in width by 20 feet in length for full size
	Parking/access and egress	vehicles; and nine feet in width by 18 feet in length for compact
	requirements (1)	vehicles.
		(10.0'x 20.0' to 9.0'x 18.0')
6.	Chapter 415 Zoning By-	The emergency access/parking lot is 10 feet from the Wilson
	law, § 415-22 Building and	Street. This is 20 feet less than the minimum set back of 30 feet
	lot Regulations A.	from any property line.
	Parking/access and egress	(30.0' to 10' = 20' reduction)
7	requirements (2)(e)	
7.	Chapter 415 Zoning By-	The proposed apartment buildings will be 5 stories tall and
	law, § 415-22	approximately 69 feet about finished grade. This is 2 stories and
	C. Height regulations	33 feet taller than the maximum building height for this district. (3 stories to 5 stories = 2 stories greater)
		(3 stories to 3 stories = 2 stories greater) (36.0' to 69.0' = 33.0' greater)
		(30.0 to 03.0 - 33.0 greater)

	Local Regulation	Waiver Requested
8.	Chapter 415 Zoning By- law, § 415-22 Building and lot Regulations F. Multi- family developments. (4)	The proposed project does not conform to the Off-street parking requirements in § 415-35 of this bylaw.
9.	Chapter 415 Zoning By- law, § 415-29 Number of buildings on single lot.	The project site design includes two principal use apartment buildings. Only one principal residential building is allowed by this bylaw.
10.	Chapter 415 Zoning By- law, § 415-35 Off street parking requirements A. Residential Uses (1)	The projects site is design with a 1.56 parking ratio. This is 1.44 spaces less than the required 3 spaces for multi-family residence. (3 spaces/unit to 1.56 spaces/unit = 1.44 space/unit reduction)
11.	Chapter 415 Zoning By- law, Article XIII Design Review board § 415-94 Types of sites and properties	This project is being submitted for approval from the ZBA, but will allow review from the Design review Board, given that it will not hold up the approval process.
12.	Rules & Regulation of the Planning Board, § I.I.2. Location Map	All buildings and zoning district boundaries within 200 feet of the site are not shown on the site plans per this regulation.
13.	Rules & Regulations of the Planning Board, § III.B.1.f Location and Alignment.	The access roadway begins to curve off a right angle at station 53.67 feet from the centerline of Pond Street which is 46.33 feet less than the required distance of 100 feet from the intersecting street lines of Pond Street. (100.0' to 53.67 = 72.87' reduction)
14.	Rules & Regulations of the Planning Board, § III.B.1.i Location and Alignment.	The roadway entrance has a slope of 3%. This is greater than the maximum slope of 1% required for the first 100 feet of roadway. (1% to $3\% = 2\%$ grater)
15.	Rules & Regulations of the Planning Board, § III.C.2.e. Drainage Structures. 1)	All drain pipes are HDPE rather than Class III reinforced concrete pipe. The minimum cover is approximately 2 feet, 0.5 feet less than the required 2.5 of cover. (Class III RCP to HDPE) (2.5' to 2.0' = 0.5' reduction)
16.	Rules & Regulations of the Planning Board, § III.C.2.e. Drainage Structures. 7)	The proposed design has catch basins that collect water from a stretch of 741.5 feet of continuous grade. This is 441.5 feet greater than the maximum 300 feet. (300.0'-741.5' = 441.5' greater)
17.	Rules & Regulations of the Planning Board, § III.C.2.f. Drainage Basins 1)	Subsurface infiltration chambers are proposed but are not permitted unless approved by the board.
18.	Rules & Regulations of the Planning Board, § III.C.2.f. Drainage Basins 6)	Test Pits were performed throughout the site and infiltration rates were taken from Rawls Rates based on texture. Test pits and Percolation tests were not performed within the footprint of the subsurface structures.

	Local Regulation	Waiver Requested
19.	Rules & Regulations of the Planning Board, Section	The proposed site trees will be places per the landscaping plans. This varies from the requirements stated within this section of the
	IV.H. Shade Trees	Rules & Regulations.
	IV.H. Shade Trees	Kules & Regulations.
20	D 1 0 D 1 1 C1	T C11
20.	Rules & Regulations of the	In fill sections, the side slope shall not exceed four (4) horizontal
	Planning Board, Section	to one (1) vertical. There are proposed fill side slopes graded at a
	IV.I. Side Slopes	2:1 horizontal to vertical grades. This is steeper than the
		requirement.

To the extent that the Project requires additional exemptions and waivers not expressly set forth above, the Applicant requests that such exemptions and waivers be granted to the extent necessary to complete the Project as shown on the Project Plans, as they may be amended throughout the hearing process.